130408

Past Year Dependence	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
ILLICIT DRUGS ^{1,2}	177	215	37	32	72	78	152	197
Marijuana and Hashish	119	136	32	29	59	64	95	113
Cocaine	70	99	7	5	21	22	69	96
Heroin	57	70	9	5	22	21	52	66
Hallucinogens	26	27	8	7	15	10	20	23
Inhalants	13	10	6	5	2	3	11	*
Nonmedical Use of Psychotherapeutics ^{2,3}	109	135	17	13	39	46	98	127
Pain Relievers	102	125	15	12	37	41	93	117
Tranquilizers	37	58	5	8	12	21	35	54
Stimulants ²	41	55	10	7	13	18	37	53
Sedatives	26	35	4	4	7	5	24	34
ALCOHOL	260	300	26	25	74	77	247	288
BOTH ILLICIT DRUGS AND								
ALCOHOL ^{1,2}	98	121	14	12	36	38	87	112
ILLICIT DRUGS OR ALCOHOL ^{1,2}	293	353	43	39	93	104	271	330

Table 5.14CSubstance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2011 and
2012

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-thecounter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

130408

Table 5.14D Substance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Percentages, 2011 and 2012

	Total	Total	Aged 12-17	Aged 12-17	Aged 18-25	Aged 18-25	Aged 26+	Aged 26+
Past Year Dependence	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)
ILLICIT DRUGS ^{1,2}	0.07	0.08	0.15	0.13	0.21	0.22	0.08	0.10
Marijuana and Hashish	0.05	0.05	0.13	0.12	0.17	0.19	0.05	0.06
Cocaine	0.03	0.04	0.03	0.02	0.06	0.07	0.03	0.05
Heroin	0.02	0.03	0.04	0.02	0.06	0.06	0.03	0.03
Hallucinogens	0.01	0.01	0.03	0.03	0.04	0.03	0.01	0.01
Inhalants	0.00	0.00	0.02	0.02	0.01	0.01	0.01	*
Nonmedical Use of								
Psychotherapeutics ^{2,3}	0.04	0.05	0.07	0.05	0.11	0.13	0.05	0.06
Pain Relievers	0.04	0.05	0.06	0.05	0.11	0.12	0.05	0.06
Tranquilizers	0.01	0.02	0.02	0.03	0.03	0.06	0.02	0.03
Stimulants ²	0.02	0.02	0.04	0.03	0.04	0.05	0.02	0.03
Sedatives	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.02
ALCOHOL	0.10	0.12	0.10	0.10	0.22	0.22	0.12	0.14
BOTH ILLICIT DRUGS AND								
ALCOHOL ^{1,2}	0.04	0.05	0.06	0.05	0.11	0.11	0.04	0.06
ILLICIT DRUGS OR ALCOHOL ^{1,2}	0.11	0.14	0.17	0.15	0.27	0.30	0.14	0.16

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-thecounter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

130408

	Total	Total	Aged 12-17	Aged 12-17	Aged 18-25	Aged 18-25	Aged 26+	Aged 26+
Past Year Dependence	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)
ILLICIT DRUGS ^{1,2}	0.1042		0.0067		0.4111		0.0415	
Marijuana and Hashish	0.8971		0.0832		0.7420		0.3596	
Cocaine	0.0608		0.1383		0.9293		0.0412	
Heroin	0.4732		0.2070		0.4340		0.5225	
Hallucinogens	0.5817		0.4207		0.2859		0.8264	
Inhalants	0.4216		0.7185		0.4322		*	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0996		0.0219		0.1114		0.1330	
Pain Relievers	0.2486		0.0358		0.5556		0.1893	
Tranquilizers	0.0516		0.4076		0.1635		0.1450	
Stimulants ²	0.0727		0.4332		0.0482		0.1703	
Sedatives	0.3324		0.7051		0.9218		0.2924	
ALCOHOL	0.0541		0.1669		0.9467		0.0353	
BOTH ILLICIT DRUGS AND								
ALCOHOL ^{1,2}	0.5334		0.1321		0.6253		0.2911	
ILLICIT DRUGS OR ALCOHOL ^{1,2}	0.0147		0.0084		0.3852		0.0076	

 Table 5.14P
 Substance Dependence for Specific Substances in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2012

 Versus 2011

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-thecounter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.